

















Gold tyre inflation pressure: kPa(PSI) **E50**

Recommandation pneus : kPa(PSI)
 Pressie de inflatie de pneu (kPa) (PSI)
 Referenzdruck (kPa) (PSI)
 Pression des pneus (kPa) (PSI)
 Pressão de inflação dos pneus (kPa) (PSI)

215/60 R16 95H	+	240(35)	240(35)
215/55 R17 94V	+	240(35)	290(42)
235/45 R18 98V	+	240(35)	290(42)
T125/80 D16 97M			
T135/80 D17 103M			420(60)

KIA 기아자동차(주) KIA MOTORS CORPORATION

변속기 TRANSM	차축 AXLE	도장 PAINT	외장 TRIM
J		B4U	WK

장비부호 S.V.C 형식 승인 번호 APPD MODEL NO

KNAG3417BM5108119

1990
3390
1-1100
2-1010

형식 승인년월일
MODEL APPD DATE

ation pressure: kPa(ps)
 ve в холостых мин.: kPa(ps)
 os pneus (lras: kPa(ps)
 (ps)
 ids: kPa(ps)
 trio: kPa(ps)

E50



	240(35)	240(35)
	240(35)	290(42)
	420(60)	



기아자동차(주)

KIA MOTORS CORPORATION

변속기 차축 도장 의장
 TRANSM AXLE PAINT TRIM

J

B4U

WK

정비부호 형식 승인 번호
 S.V.C APPD MODEL NO

KNAG3417BM5108119

1990

3390

1-1100

2-1010

형식 승인년월일
 MODEL APPD DATE







KNAF 3417815108119

KNAF 3417815108119

ООО "ЭЛЛАДА ИНТЕРТРЕЙД"
TC RU E-RU.AЯ04.00385



XWEG3417BM0005905

1990 кг

кг

1- 1100 кг

2- 1010 кг